

Solventless Laminate

10101101010110

LM-SF1300-T
LM-SF1300-S



**Eco-friendly solution without solvent
and lower energy consumption.**


webcontrol

WEBCONTROL MACHINERY CORP.

Solventless Laminator

Webcontrol develops innovative solventless laminators with driven coating system and automatic turret unwind & rewind for high efficiency, consistent tension & minimum waste during roll changes.

Lamination Head



Three roller design ensures proper pressure to eliminate small dots.



Coating Head

Consists of 5 rollers with 3 independent motor drives for feeding roller, dosing and for application. This driven concept permits consistent and accurate adhesive applications.



Sleeved Transfer Roller

The rubber sleeve is easily extracted for fast change-overs.



Tracing Roller

Avoid wrinkles on unsupported substrate when roll diameter is small.



Single Shaft Type



Unwind & Rewind Unit
Shaftless with Hydraulic lift.

Turret Type



Automatic Splice Unwind & Rewind
Low waste during roll changes.




Shaftless Unwind & Rewind

- Quick change over
- Extendable chuck for material min. width 650mm without the need of additional accessories.


Specifications:

Model	LM-SF1000-T	LM-SF1300-T	LM-SF1000-S	LM-SF1300-S
Machine speed	400m/min	400m/min	400m/min	400m/min
Material width	1000mm	1300mm	1000mm	1300mm
Max. coating roller width	1200mm	1400mm	1200mm	1400mm
Coating width range	1000mm	1300mm	1000mm	1300mm
First unwind diameter	800mm	800mm	1000mm	1000mm
Second unwind diameter	800mm	800mm	1000mm	1000mm
Rewind diameter	1000mm	1000mm	1000mm	1000mm
Dimensions	10940(L) x 4095(W) x 3465(H)mm	10940(L) x 6095(W) x 3465(H)mm	9035(L) x 4410(W) x 3470(H)mm	9035(L) x 6410(W) x 3470(H)mm

LM-SF1300-T (Turret Type)



LM-SF1300-S (Single Shaft Type)



webcontrol

WEBCONTROL MACHINERY CORP.

No.1, Jingke 7th Rd., Nantun Dist., Taichung City 408, Taiwan.

(Taichung Precision Machinery Park)

TEL: +886-4-2358-7272 FAX: +886-4-2358-0882

E-mail: sales@webcontrol.com.tw

http://www.webcontrol.com.tw